VERMEER QUICKFIRE® HD CONNECTION SYSTEM

Vermeer original design using an industry-unique heat-treatment process for durability and reliability.



Key features:

- Uses two heavy-duty roll pins to secure the locking collar over the non-torqued threaded connection.
- The collar can be assembled at any orientation to avoid having to rotate it to align with the retention bolt hole.
- Vermeer offers weld-on connection options to cost-effectively convert existing tooling to the QuickFire HD connection system.

For more information about the new Vermeer QuickFire HD Connection System, contact your local Vermeer dealer, and visit borestore.com.

Available in three sizes for drilling rigs rated up to 5,500 ft-lb (7,457 Nm) of torque.

Size options

- QuickFire HD system 300 for HDDs in the 10,000-pound (44.5-kN) drill range — Vermeer D10x15 S3 or Ditch Witch JT10 HDD
- QuickFire HD system 400 for HDDs in the 24,000-pound (106.8-kN) drill range — Vermeer D23x30 S3 or Ditch Witch JT30 HDD
- QuickFire HD system 460 for HDDs in the 40,000-pound (177.9-kN) drill range — Vermeer D40x55 S3 or Ditch Witch JT40 HDD

Construction material

• Manufactured with durable, high-alloy material.

Thread profile

- Coarse, tapered thread
- Quick, four-turn makeup
- Same profile as the original QuickFire[®] connection system

BORESTORE HDD TOOLING AND ACCESSORIES WAREHOUSE

borestore.com

Vermeer



Vermeer Corporation reserves the right to make changes in engineering, design and specifications; add improvements; or discontinue manufacturing at any time without notice or obligation. Equipment showr is for illustrative purposes only and may display optional accessories or components specifications.